

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

• '					
FILING DATE.	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
06/25/2001	Irit Loy	LOY=3	7562		
1444 7590 12/22/2003			EXAMINER		
BROWDY AND NEIMARK, P.L.L.C.		LU, KUEN S			
EET, NW	£ 1				
SUITE 300		ART UNIT	PAPER NUMBER		
WASHINGTON, DC 20001-5303		2177	4		
		DATE MAILED: 12/22/2003	DATE MAILED: 12/22/2003		
	06/25/2001 ) 12/22/2003 D NEIMARK, P.L.L.C. EET, NW	06/25/2001 Irit Loy  12/22/2003  D NEIMARK, P.L.L.C. EET, NW	06/25/2001 Irit Loy LOY=3  D NEIMARK, P.L.L.C.  EET, NW  ART UNIT  DC 20001-5303  Irit Loy  LOY=3  EXAMI  ART UNIT  2177		

Please find below and/or attached an Office communication concerning this application or proceeding.

			Application	on No.	Applicant(s)		
		09/887,57	6	LOY ET AL.			
	Office Action Summary		Examiner		Art Unit		
	Э		Kuen S Lu		2177		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
THE I - Exter after - If the - If NC - Failu - Any r	ORTENED STATUTORY PERIOD MAILING DATE OF THIS COMMUING DATE OF THIS COMMUING. OF THIS COMMUING SIX (6) MONTHS from the mailing date of this corporate period for reply specified above is less than thirty period for reply is specified above, the maximum re to reply within the set or extended period for reply received by the Office later than three monthed patent term adjustment. See 37 CFR 1.704(b).	NICATION. ns of 37 CFR 1.13 nmunication. (30) days, a reply statutory period v bly will, by statute,	36(a). In no every within the statu vill apply and will , cause the appli	int, however, may a reply be tim story minimum of thirty (30) days I expire SIX (6) MONTHS from to ication to become ABANDONE	ely filed s will be considered time the mailing date of this of 0 (35 U.S.C. § 133).		
	Responsive to communication(s) f	iled on 25 <i>l</i> ı	me 2001				
,—	•	. 2b)⊠ This		n final			
<i>,</i> —	This action is <b>FINAL</b> .	•			4' 4- 41-		
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims						
5)□ 6)⊠ 7)□	Claim(s) <u>1-66</u> is/are pending in the 4a) Of the above claim(s) is. Claim(s) is/are allowed. Claim(s) <u>1-66</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to rest	are withdray	wn from cor				
	ion Papers						
9)	The specification is objected to by	he Examine	r.				
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
	Applicant may not request that any ob	jection to the	drawing(s) b	e held in abeyance. See	37 CFR 1.85(a).		
. —	Replacement drawing sheet(s) includi	-					
•	The oath or declaration is objected	to by the Ex	aminer. No	te the attached Office	Action or form P	TO-152.	
•	under 35 U.S.C. §§ 119 and 120		,	1 0511000044043	. (1)		
* S 13)	Acknowledgment is made of a claimant All b) Some * c) None of 1. Certified copies of the priority 2. Certified copies of the priority 3. Copies of the certified copies application from the International See the attached detailed Office act Acknowledgment is made of a claimance a specific reference was included 7 CFR 1.78.  Acknowledgment is made of a claimant acknowledgment acknowledgment is made of a claimant acknowledgment acknowledgment is made of a claimant acknowledgment acknowledgme	ty documents by documents s of the prior ional Bureau ion for a list for domesti led in the firs anguage pro	s have been shave been rity docume u (PCT Rule of the certific priority ur st sentence pvisional apoc priority ur	n received. In received in Application received in Application 17.2(a)). The copies not received a 17.2 (a) 1.5 (b) 1.5 (c) 1.	on Nod in this National d.  e) (to a provisional in an Application eived.  and/or 121 since	al application) Data Sheet. a specific	
Attachmen				4) Intention Summer	(DTO 442) Donor No	(a)	
2) Notic	te of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review mation Disclosure Statement(s) (PTO-1449)		LLu 3polos4	4) Interview Summary 5) Notice of Informal Pa 6) Other: .	(PTO-413) Paper No atent Application (PT		
PTOL-326 (R		Office Ac	ction Summa	ry	Part e	of Paper No. 2	

8-07/5/04

Art Unit: 2177

### **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 1. Claims 1-9, 17-21, 23-31, 39-43, 45-53 and 61-65 are rejected under 35 U.S.C. 102(e) as anticipated by Cramer et al. (U.S. Patent 5,946,685, hereafter "Cramer").

As pers claim 1, 23 and 45, Cramer teaches the following:

"initiating a session of a data management application on a first one of the nodes" at col.

9, lines 22-23 by a user associated with a process issuing a global mount command at a requesting node;

"receiving a request submitted to the parallel file system software at a second one of the nodes to mount one of the file systems in the data storage on the second one of the nodes" at col. 9, lines 47-53 by either determining the server for the mount point or requesting the server to generate the mount point and link to the server-side vnode corresponding to the mount point; and

"sending a mount event message from the second node to the first node responsive to the request, for processing by the data management application on the first node" at col.

Art Unit: 2177

9, lines 59-60 by returning the information concerning the mount point to the requesting node.

As per claims 2, 24 and 46, Cramer teaches the following:

"mounting first and second instances of the one of the file systems on the first and second nodes, respectively, responsive to the mount event message" at col. 9, lines 47-53 by requesting the server to generate the mount point and link to the server-side vnode corresponding to the mount point on the first request to mount an un-mounted file system or determining the server for the mount point on the second or additional requests for mounting the already mounted file system.

As per claims 3, 25 and 47, Cramer teaches "receiving a further request at the second node to un-mount the second instance of the one of the file systems at the second node" at col. 12, lines 3-4 by a process associated with a node receiving a global unmount command;

"sending, responsive to the further request, a pre-un-mount event message to the first node" at col. 12, lines 22-31 by the list server of the mount point for having each node un-splice the file system resource from the node's mount point proxy vnode; and "responding to the pre-un-mount event message so as to permit un-mounting of the second file system instance without un-mounting the first file system instance" at col. 12, lines 29-30 and 32-33 by the list server of the mount point to delete the VFS from the global mount list and releasing the global lock representing the mount point.

As per claims 4, 26 and 48, Cramer teaches "responding to the pre-un-mount event message comprises determining at the first node, responsive to one or more flags set in

**Art Unit: 2177** 

the pre-un-mount event message, whether the request was submitted on the first node or on another one of the nodes" at col. 12, lines 22-31 by the list server of the mount point for having each node un-splice the file system resource from the node's mount point proxy vnode and informing the **other client nodes** to delete their VFS and PxFobj data structure, thus the originating node is spare of the information and determines the original node of the unmount command.

As per claims 5, 27 and 49, Cramer teaches "receiving the pre-un-mount event message at the first node" at col. 12, lines 22-31 by the list server of the mount point for having each node un-splice the file system resource from the node's mount point proxy vnode implies the first node receives the un-splice message;

"obtaining a data management access right from a physical file system (PFS) software component at the first node responsive to the pre-un-mount event message" at col. 12, lines 23-26 by un-splicing the file system resource and deleting the contents of the mounted here VFS pointer; and

"processing the pre-un-mount event message using the access right" at col. 12, lines 27-31 by deleting the infrastructure used to support the unmounted resource, VFS pointer of the global mount point and informing other client nodes to delete their VFS and PxFobj data structure.

As per claims 6, 28 and 50, Cramer teaches "receiving the request comprises receiving first and second requests to mount different ones of the file systems in the data storage" at col. 11, lines 5-7 by global mount procedure to call the list server with information on newly generated object and the resource used to instantiate it and the list

**Art Unit: 2177** 

server adds the object to the cluster-wide global mount list, "wherein receiving the further request comprises receiving further first and second requests to un-mount the different ones of the file systems" at col. 12, lines 3-4 by a process associated with a node receiving a global unmount command which may come from different nodes for different file systems, and "the pre-un-mount event message comprises, responsive to dispositions set for the different ones of the file systems" at at col. 12, lines 22-31 by the list server of the mount point for having each node un-splice the file system resource from the node's mount point proxy vnode for each unmount request from a node; and "sending a first pre-un-mount event message to the first node responsive to the first unmount request, and sending a second pre-un-mount event message 1 responsive to the second un-mount request to a further node, on which a further data management application session has been initiated" at col. 12, lines 22-31 by the list server of the mount point for having each node un-splice the file system resource from the node's mount point proxy vnode and informing the other client nodes to delete their VFS and PxFobi data structure each time a list server node responding to the unmount request from a node.

As per claims 7, 29 and 51, Cramer teaches "responding to the pre-un-mount event message comprises sending a reply to the message from the first node to the second node, and comprising, responsive to the reply, un-mounting the second file system instance and sending an un-mount event message from the second node to the first node" at col. 12, lines 22-31 by the list server having each node un-splicing file resource from that node's mount proxy vnode and the mount mechanism will **then** delete the

Art Unit: 2177

infrastructure used to support the unmounted resource, thus the second node is synchroning every node's, including the first node's, response of un-splicing file resource, and at col. 12, lines 32-33 by releasing the lock representing the mount point.

As per claims 8, 30 and 52, Cramer teaches "determining at the first node, responsive to one or more flags set in the un-mount event message, whether the further request was submitted on the first node or on another one of the nodes" at col. 12, lines 22-31 by the list server of the mount point for having each node un-splice the file system resource from the node's mount point proxy vnode and informing the **other client nodes** to delete their VFS and PxFobj data structure, thus the originating node is spare of the information and determines the original node of the unmount command.

As per claims 9, 31 and 53, Cramer teaches "determining at the first node, responsive to one or more flags set in the mount event message, whether the further request was submitted on the first node or on another one of the nodes" at col. 9, lines 47-53 by the list server generating a provider object for the requesting node and the object is returned to the requesting node for further generating an associated cache object, thus determines the originating node which initiates the mount command.

As per claims 17, 39 and 61, Cramer teaches "receiving a response to the mount event message from the data management application on the first node" at Fig. 6, elements 204, 206 and 208, col. 11, lines 22-27 by spicing the resource of mount point in each node; and "mounting an instance of the one of the file systems on the second node subject to the response from the data management application on the first node" at col. 11, lines 27-32 by linking covered\_vnode pointer of the proxy VFS to the vnode of the

Art Unit: 2177

mount point, indicating a file system has been mounted **when** the mounted\_here pointer is set.

As per claims 18, 40 and 62, Cramer teaches "receiving a further request submitted to the parallel file system software to mount the one of the file systems on a further one of the nodes" at col. 13, lines 15-19 by providing a mount point with global locking capability, and "sending a further mount event message responsive to the further request for processing by the data management application on the first node" at col. 13, lines 44-57 by giving write access to the global lock corresponding to the mount point.

As per claims 19, 41 and 63, Cramer teaches "the further one of the nodes is the first node" at col. 13, lines 15-19 by mounting file system to any node making such request.

As per claims 20, 42 and 64, Cramer teaches "receiving first and second un-mount requests to un-mount the file system from the second node and from the further one of the nodes" at col. 12, lines 3-10 by invoking the unmount command from any node, and "generating first and second pre-un-mount event messages at the second node and at the further one of the nodes responsive to the first and second un-mount requests, for processing by the data management application on the first node" at col. 12, lines 22-31 by having each node un-splicing the file system resource from that node's proxy vnode mount point and then deleting the supporting infrastracture.

As per claims 21, 43 and 65, Cramer teaches "sending a reply to the first and second pre-un-mount event messages from the first node to the second node and to the further one of the nodes, and, responsive to the reply, un-mounting the file system at the second node and the further one of the nodes, and generating respective un-mount event

Art Unit: 2177

messages at the second node and at the further one of the nodes" at col. 12, lines 27-33 by deleting the mount point's supporting infrastructure and informing other client nodes to delete their VFS and OxFobj structures.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claims 10-16, 32-38 and 54-60 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cramer et al. (U.S. Patent 5,946,685) as applied to claims 1, 23 and 45 above, and further in view of Dugan et al. (U.S. Patent 6,363,411, hereafter "Dugan).

As per claims 10, 32 and 54, Cramer teaches "initiating a session of a data management application" at col. 9, lines 22-23 by a user associated with a process issuing a global mount command at a requesting node and "receiving a request and sending the mount event message" at col. 9, lines 47-53 by either determining the server for the mount point or requesting the server to generate the mount point and link to the

Art Unit: 2177

server-side vnode corresponding to the mount point and at col. 9, lines 59-60 by returning the information concerning the mount point to the requesting node.

Cramer does not teach **specifically using DMAPI** for initiating the session, receiving the request and sending the mount event message.

However, Dugan teaches using DMAPI for making a request for data as the DMAPI providing a common message set for all DM clients to interface with Data Management at Fig. 5(f), elements 410 and 412, and col. 48, lines 12-15.

It would have been obvious to one having ordinary skill in the art at the time of the applicant's invention was made to combine Dugan's teaching into Cramer's by using standard set of DMAPI interface functions for session management because DMAPI would enhance for centralizing and standardizing the data management starting with creating a session on a node and specifying the Data Management events to be reported to the session.

As per claims 11, 33 and 55, Cramer teaches "receiving an un-mount request to unmount the file system from the second node" at col. 12, lines 3-4 by a process associated with a node receiving a global unmount command and "sending a pre-un-mount event message to the first node" at col. 12, lines 22-31 by the list server of the mount point for having each node un-splice the file system resource from the node's mount point proxy vnode.

Cramer does not specifically teach **specifically using DMAPI** for receiving an unmount request to un-mount the file system or sending a pre-un-mount event message to the first node.

Art Unit: 2177

However, Dugan teaches using DMAPI for providing a common, standard set of interface for receiving and sending data, and further utilizing local cache for data retrieval at col. 48, lines 12-21.

It would have been obvious to one having ordinary skill in the art at the time of the applicant's invention was made to combine Dugan's teaching into Cramer's by using a common message set of DMAPI to interface with Data Management server such that receiving and sending message would be handled by a set of standardized functions which would simplify the programming effort for the applications.

As per claims 12, 34 and 56, Cramer teaches "responding to the pre-un-mount event message comprises sending a reply to the message from the first node to the second node, and comprising, responsive to the reply, un-mounting the second file system instance and sending an un-mount event message from the second node to the first node" at col. 12, lines 22-31 by the list server having each node un-splicing file resource from that node's mount proxy vnode and the mount mechanism will **then** delete the infrastructure used to support the unmounted resource, thus the second node is synchroning every node's, including the first node's, response of un-splicing file resource, and at col. 12, lines 32-33 by releasing the lock representing the mount point.

Cramer does not specifically teach **specifically using DMAPI** for sending a reply to the pre-un-mount event message, responsive to the reply, or sending an un-mount event message.

However, Dugan teaches using DMAPI to process data management on a computer node at Fig. 5(f), elements 420 and 425, col. 48, lines 15-21.

Art Unit: 2177

It would have been obvious to one having ordinary skill in the art at the time of the applicant's invention was made to combine Dugan's teaching into Cramer's such that the actual data application initiated by a client system could communicate with service administration system for sending or receiving data through a common message set of DMAPI, and further facilitating the data transfer by using cache storage for local data.

As per claims 13, 35 and 57, Dugan further teaches DMAPI interfacing the SA (System Administration) client and the data distribution process of SA, and a data management server which handles data extract at col. 48, lines 1-5.

As per claims 14, 36 and 58, Dugan further teaches using DMAPI for making a request for data as the DMAPI providing a common message set for all DM clients to interface with Data Management at Fig. 5(f), elements 410 and 412, and col. 48, lines 12-15.

As per claims15, 37 and 59, Cramer teaches sending event message at col. 12, lines 22-31 by the list server of the mount point for having each node un-splice the file system resource from the node's mount point proxy vnode.

Cramer does not teach **specifically using DMAPI** for sending the event message comprises setting one or more flags in the message to indicate whether the request was submitted on the first node or on another one of the nodes.

However, Dugan teaches using DMAPI for providing a common, standard set of interface for receiving and sending data, and further utilizing local cache for data retrieval at col. 48, lines 12-21.

Art Unit: 2177

It would have been obvious to one having ordinary skill in the art at the time of the applicant's invention was made to combine Dugan's teaching into Cramer's by using a common message set of DMAPI to interface with Data Management server such that receiving and sending message would be handled by a set of standardized functions which would simplify the programming effort for the applications.

As per claims 16, 38 and 60, Cramer teaches "sending a mount event message from the second node to the first node responsive to the request, for processing by the data management application on the first node" at col. 9, lines 59-60 by returning the information concerning the mount point to the requesting node.

Cramer does not teach invoking a DMAPI function "to obtain mount information regarding the one of the file systems, and wherein in a response provided by the function, one or more flags are set to indicate whether the one of the file systems is mounted on the first node or on another one of the nodes in the cluster or on both the first node and on another one of the nodes in the cluster".

However, Dugan teaches using DMAPI for providing a common, standard set of interface for receiving and sending data, and further utilizing local cache for data retrieval at col. 48, lines 12-21.

It would have been obvious to one having ordinary skill in the art at the time of the applicant's invention was made to combine Dugan's teaching into Cramer's by using a common message set of DMAPI to interface with Data Management server such that receiving and sending message would be handled by a set of standardized functions which would simplify the programming effort for the applications.

Art Unit: 2177

3. Claims 22, 44 and 66 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cramer et al. (U.S. Patent 5,946,685) as applied to claims 1, 23 and 45 above, and further in view of Vahalia et al. (U.S. Patent 6,192,408, hereafter "Vahalia").

As per claims 22, 44 and 66, Cramer teaches initiating a session of a data management application at col. 9, lines 22-23 by a user associated with a process issuing a global mount command at a requesting node.

Cramer does not teach "initiating the session of the data management application comprises initiating a data migration application, so as to free storage space on at least one of the volumes of data storage".

However, Vahalia teaches migrating file system from a failed data processor to a spare processor at Fig. 27, elements 241', 242', through 245', col. 28, lines 22-25 by migrating files owned by a failed processor to a spare data processor in a system that uses remote dual copy instead of a cached disk storage subsystem.

It would have been obvious to one having ordinary skill in the art at the time of the applicant's invention was made to combine Vahalia's teaching into Cramer's by implementing the file system migration plan not just for a failed processor, but also for a routine data backup because such implementation would ensure data availability even in a reverse situation.

### Conclusion

The prior art made of record

A. U.S. Patent No.

5946685

B. U.S. Patent No.

6363411

Art Unit: 2177

C. U.S. Patent No.

6192408

Page 14

The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure.

D. U.S. Patent No.

6275953

E. U.S. Patent No.

6151684

F. U.S. Patent No.

6202080

G. U.S. Patent No.

6249879

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kuen S Lu whose telephone number is 703-305-4894. The examiner can normally be reached on 8 AM to 5 PM, Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Breene can be reached on 703-305-9790. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

KL

Patent Examiner

November 21, 2003

JOHN BREENE SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2100

John E. Breene